

HOSPITAL BIDS AND AWARDS COMMITTEE


SUPPLEMENTAL BID BULLETIN NO. 1

IB2021-012 & IB2021-013

PRE-BID CONFERENCE (JULY 28, 2021)


I. GENERAL INSTRUCTIONS

- Bidders are required to submit one (1) soft copy of the original documents clearly scanned in multiple pages in one (1) PDF File per the three required files to the designated Google Form link.
- Documentary requirements on the electronic bidding is the same as in the manual bidding as provided in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184), otherwise known as the “Government Procurement Reform Act” and Resolution No. 09-2020 of the Government Procurement Policy Board entitled “Approving Measures for the Efficient Conduct of Procurement Activities During a State of Calamity, or Implementation of Community Quarantine or Similar Restrictions”
- The BAC is using the 6th Edition of the Philippine Bidding Documents and all Amendments Forms therein.
- Due to limited slots in Zoom, only one (1) representative per bidder will be allowed to enter.
- Bidder shall only provide the password of their encrypted file upon being called and acknowledged in the Online Bidding Conference by the BAC before the opening of said Bidder’s bid documents. Bidder’s video should be on during this process.
- For the issuance of the Official Receipt, bidders may get the same at the Cash Collection Section or Procurement Section, during office hours, M-F; 8:00AM-5:00PM, except holidays, and upon showing of proof of payment. For the purpose of the bidding, those who submitted the proof of payment early will be verified by our Cash Collection Section and will be provided a soft copy of the Official Receipt, otherwise, other proof of payment will be acceptable subject to later verification by the Cash Collection Section.
- The winning bidder is required to produce two (2) hard copies of the scanned document anytime before the award. The same can be personally sent or via courier. Any discrepancy on the submitted soft copy as bidder during the bidding conference and hard copies as winning bidder is a ground for disqualification.
- The scanned copy should have the required original signature. E-signature is not allowed.
- Bidders must submit updated Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
- It is understood that the Contractor is legally responsible to deliver all issued purchase order/s and failure to deliver the first Purchase Order as scheduled shall mean automatic cancellation of the PO and Notice of Award (NOA). Upon cancellation, the BAC shall proceed to qualify the second lowest bidder if applicable; or proceed to Negotiated Procurement. The Winning Contractor who failed to deliver shall shoulder the price difference (from the second lowest bidder) of the item in addition to the acquired liquidated damages.



- In lieu of the Certificate of Ongoing Projects/Accomplishments, Bidders must present their progress report or percentage of partial accomplishment, together with their contracts, awards, and proof of deliveries such as sales invoice.
- Bidders must specify in the Technical Specifications Form under Bidder’s Offer, Technical Specifications Column the exact specifications they are offering submitted against each of the individual parameters. Whereas, bidders must state either “Comply” or “Not Comply” under the Bidder’s Offer, Statement of Compliance Column. The bids with incomplete and incorrect filled out Technical Specifications Form will be disqualified.
- Bidder must have completed, within the period specified in the Invitation to Bid, an SLCC that is similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. Service will fall on the Expendable Supplies.
- If there is no single completed contract for the required amount, the bidder may submit at least two (2) completed similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required.
- A contract shall only be considered “similar” to the contract to be bid if it is of similar nature.
- Contracts similar to the Project should be completed within two (2) years to the deadline for the submission and receipt of bids.

<p>Whether contractors with separate contracts, one (1) for design and another contract for construction, of one completed projects are required to submit both contracts for their SLCC.</p>	<p>In GPPB Non-Policy Matter No. 081-2013, it states: xxxx the bidder participating in a bidding for an infrastructure project that will be implemented through a design and build scheme is required to submit, as technical requirement, either at least one (1) similar contract for design and build that is at least fifty percent (50%) of the cost of the Approved Budget for the Contract (ABC) for the project; or at least one (1) contract for design and at least one (1) contract for construction, each of which should be at least fifty percent (50%) of the cost of the ABC.</p> <p>Thus, in the event that the bidder does not have a similar largest completed contract for design and build, it should submit at least one (1) similar contract for design, which should be at least fifty percent (50%) of the ABC for the project, an least one (1) similar contract for construction, which should also be at least fifty percent (50%) of the</p>
---	--



	<p>ABC for the project.</p> <p>Given the NPM, should the interested bidder not have a single project consisting of both design and built with at least 50% of the ABC, it could submit two (2) completed projects consisting of contract for design with at least 50% of the ABC AND a contract for construction with at least 50% of the ABC.</p> <p>A contract shall only be considered “similar” to the contract to be bid if it is of similar nature.</p> <p>Contracts similar to the IB2021-012 - Design and Build of Centralized Warehouse Phase 1 Ground Floor and Mezannine – Rebid should be completed within FIVE (5) years to the deadline for the submission and receipt of bids.</p>
--	---

II. Amendments on the **Section VII. Technical Specifications** as per Pre-Bidding Conference conducted last July 28, 2021 as follows:


A. IB2021-012 - Design and Build of Centralized Warehouse Phase 1 Ground Floor and Mezannine – Rebid

TO	FROM
TOTAL ABC (PHP) 19,000,000.00	TOTAL ABC (PHP) 19,800,000.00

<p>Whether the people required for the Design Stage could be the same set of people required for the Construction Stage.</p>	<p>The Bidder shall hire SEPARATELY the required minimum number of people (complied with the required qualification and expertise) as posted in the bid documents for the Design Stage and the required minimum number of people (complied with the required qualification and expertise) as posted in the bid documents for the Construction Stage.</p>
--	---

ADDITIONAL Requirement:

- 1. Must submit a Certificate of Site Inspection.**



B. IB2021-013A Supply and Delivery of Liquid Oxygen

TO	FROM
<ul style="list-style-type: none"> Supplier to provide certificate of product registration, Certificate of Good Manufacturing Practice and Batch Released Certificate. These certificates should be valid and issued by FDA. These documents should be submitted on the Bid opening date. 	<ul style="list-style-type: none"> Supplier to provide certificate of product registration, Certificate of Good Manufacturing Practice and Batch Released Certificate. These certificates should be valid and issued by FDA. These documents should be submitted on the Bid opening date. If the FDA required the supplier for License-to-Operate (LTO) Certificate, supplier must also provide it.

C. IB2021-013B Supply and Delivery of Hauling, Disposal, and Treatment Services for Infectious and Hazardous Waste

TO	FROM
<p>A. MINIMUM QUALIFICATION/REQUIREMENTS OF BIDDERS:</p> <ol style="list-style-type: none"> 1. The Contractor must be an EMB-DENR registered/accredited hazardous Waste Treater and Transporter under the same company 3. The Contractor must be engaged in the business in its existing TSD Facility for at least five (5) years 5. Contractor must have Joint Venture Agreement (JVA) with a sanitary landfill with ISO 14001:2015 and ISO 9001:2015 8. Contractor shall have no history of Cease and Desist Order from any Local Government Unit, DENR or any Government Agencies 9. All Permits and Licenses of the Contractor should be all Valid including Certificate of Product Registration from FDA and laboratory Testing Result from National Reference Laboratory 	<p>A. MINIMUM QUALIFICATION/REQUIREMENTS OF BIDDERS:</p> <ol style="list-style-type: none"> 1. TO RETAIN 3. TO RETAIN 5. Contractor must have Joint Venture Agreement (JVA) with a sanitary landfill compliant with DENR and with no violation history. Must provide DENR Certifications. 8. TO RETAIN 9. All Permits and Licenses of the Contractor should be all Valid including Certificate of Product Registration from FDA(For Equipment or Devices used for treating sharps, pathological and Infectious waste) and laboratory Testing Result from National Reference Laboratory(Performance



Republic of the Philippines
 Department of Health, Center for Health Development (CHD) IV-CALABARZON
BATANGAS MEDICAL CENTER
 Batangas City
ISO 9001:2015 CERTIFIED





	Evaluation of Equipment/Devices used for Treatment of Healthcare Waste), if applicable
<p>B. SCHEDULE AND SCOPE OF WORKS:</p> <p>2. Provide transport vehicles to move the wastes from Batangas Medical Center premises to the designated treatment facility. A minimum 10-wheeler Van shall be used for the services.</p> <p>4. The Contractor shall collect and transport hazardous waste from Batangas Medical Center every Monday and Friday, between 3:00PM-4:00PM and shall likewise perform “on-call services” in the event that the volume of wastes have accumulated more than the usual weekly collection</p>	<p>B. SCHEDULE AND SCOPE OF WORKS:</p> <p>2. Provide transport vehicles to move the wastes from Batangas Medical Center premises to the designated treatment facility. A 6-wheeler or 10-wheeler Van shall be used for the services provided that the all the hospital infectious and hazardous waste will be transported to the designated treatment facility.</p> <p>4. The Contractor shall collect and transport hazardous waste from Batangas Medical Center every Monday and Friday, between 3:00PM-4:00PM and shall likewise perform “on-call services” in the event that the volume of wastes have accumulated more than the usual weekly collection. If contractors are loaded, their substitutes can be the one to perform “on-call services” provided that they have an existing agreement with the contractor and the EFM Section is informed ahead of time.</p>
<p>OTHER TERMS AND CONDITIONS:</p> <p>4. The Hauler/Treater shall agree to provide substitute service calls should there be a breakdown of the garbage truck/s designated to collect BatMC’s garbage without additional charge to BatMC.</p>	<p>OTHER TERMS AND CONDITIONS:</p> <p>4. The Hauler/Treater shall agree to provide substitute service calls should there be a breakdown of the garbage truck/s designated to collect BatMC’s infectious and hazardous waste without additional charge to BatMC.</p>

ADDITIONAL Requirement:

- 1. Must submit a Certificate of Site Inspection.**

D. IB2021-013C – Supply and Delivery of Various Respiratory Therapy Consumable

TO	FROM
9. Adult / child high flow cannula <ul style="list-style-type: none"> Flow range: 60 LPM 	9. Adult / child high flow cannula <ul style="list-style-type: none"> Flow range: must reach the maximum flow range of 60 LPM
10. Adult high flow cannula <ul style="list-style-type: none"> Flow range: 80 LPM 	10. Adult high flow cannula <ul style="list-style-type: none"> Flow range: must reach the maximum

	Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED	
		flow range of 80 LPM

E. IB2021-013D – Supply and Delivery of Arterial Blood Gas Cartridge

TO	FROM
1. OPERATIONAL REQUIREMENTS 1.1 Two (2) units and additional one (1) back up Handheld/Portable analyzer/ Tabletop Weight: Not more than 3 kg (including the battery) Size: Not more than the following (W: 24cm / L: 32cm / H: 16cm)	TO RETAIN

III. Amendments on the **Section VIII. Bill of Quantities**

A. IB2021-012 - Design and Build of Centralized Warehouse Phase 1 Ground Floor and Mezannine – Rebid

Please see attached Form for Bill of Quantities


IV. Amendments on the **FINANCIAL PROPOSAL** as per Pre-Bidding Conference conducted last July 28, 2021 as follows:

A. IB2021-012 - Design and Build of Centralized Warehouse Phase 1 Ground Floor and Mezannine – Rebid

TO	FROM
TOTAL ABC (PHP) 19,000,000.00	TOTAL ABC (PHP) 19,800,000.00

This Supplemental / Bid Bulletin shall form part of the Bidding Documents. Any provisions in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For guidance and information of all concerned.



(Sgd.) ELIZABETH V. PALINES, MD, FPPS, FCNSP, FPNA
Chairperson, HBAC

Received by the bidder:

Signature over printed name

Date Received: _____