


HOSPITAL BIDS AND AWARDS COMMITTEE
SUPPLEMENTAL BID BULLETIN NO. 1
IB 2021-003
PRE-BID CONFERENCE (APRIL 21, 2021)

I. GENERAL INSTRUCTIONS

- Bidders are required to submit one (1) soft copy of the original documents clearly scanned in multiple pages in one (1) PDF File per the three required files to the designated Google Form link.
- Documentary requirements on the electronic bidding is the same as in the manual bidding as provided in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184), otherwise known as the “Government Procurement Reform Act” and Resolution No. 09-2020 of the Government Procurement Policy Board entitled “Approving Measures for the Efficient Conduct of Procurement Activities During a State of Calamity, or Implementation of Community Quarantine or Similar Restrictions”
- The BAC is using the 6th Edition of the Philippine Bidding Documents and all Amendments Forms therein.
- Due to limited slots in Zoom, only one (1) representative per bidder will be allowed to enter.
- Bidder shall only provide the password of their encrypted file upon being called and acknowledged in the Online Bidding Conference by the BAC before the opening of said Bidder’s bid documents. Bidder’s video should be on during this process.
- For the issuance of the Official Receipt, bidders may get the same at the Cash Collection Section or Procurement Section, during office hours, M-F; 8:00AM-5:00PM, except holidays, and upon showing of proof of payment. For the purpose of the bidding, those who submitted the proof of payment early will be verified by our Cash Collection Section and will be provided a soft copy of the Official Receipt, otherwise, other proof of payment will be acceptable subject to later verification by the Cash Collection Section.
- The winning bidder is required to produce two (2) hard copies of the scanned document anytime before the award. The same can be personally sent or via courier. Any discrepancy on the submitted soft copy as bidder during the bidding conference and hard copies as winning bidder is a ground for disqualification.
- The scanned copy should have the required original signature. E-signature is not allowed.
- Bidder must have completed, within the period specified in the Invitation to Bid, an SLCC that is similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. Service will fall on the Expendable Supplies.
- If there is no single completed contract for the required amount, the bidder may submit at least two (2) completed similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required.
- A contract shall only be considered “similar” to the contract to be bid if it is of similar nature.
- Contracts similar to the Project should be completed within two (2) years to the deadline for the submission and receipt of bids.





- Bidders must submit updated Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
- Bidders are required to provide physical demonstration of the equipment being offered a day after the bid opening. This requirement may be replaced with referral to other institution with same equipment were the TWG and End Users may conduct physical or virtual demo provided the bidder will certify the impossibility of providing actual demo due to justifiable circumstances. Should there be a certification, it is understood that should the equipment offered but was not demonstrated be delivered and later inspected to be not in compliance with the required equipment as stated in the bid, the procuring entity reserves its right to reject acceptance of the delivered equipment in addition to any other penalty that can be imposed against the bidder.
- Indicate the brand and packing of items offered
- It is understood that the Contractor is legally responsible to deliver all issued purchase order/s and failure to deliver the first Purchase Order as scheduled shall mean automatic cancellation of the PO and Notice of Award (NOA). Upon cancellation, the BAC shall proceed to qualify the second lowest bidder if applicable; or proceed to Negotiated Procurement. The Winning Contractor who failed to deliver shall shoulder the price difference (from the second lowest bidder) of the item in addition to the acquired liquidated damages.
- Bidders must specify in the Technical Specifications Form under Bidder’s Offer, Technical Specifications Column the exact specifications they are offering, the brand name of the product including its trademark and must indicate the reference page number in the user manual submitted against each of the individual parameters. Whereas, bidders must state either “Comply” or “Not Comply” under the Bidder’s Offer, Statement of Compliance Column. The bids with incomplete and incorrect filled out Technical Specifications Form will be disqualified.
- In lieu of the Certificate of Ongoing Projects/Accomplishments, Bidders must present their progress report or percentage of partial accomplishment, together with their contracts, awards, and proof of deliveries such as sales invoice that may be used during evaluation and verification.

II. Amendment on Terms of Specifications/Terms of Reference as per Pre-Bidding Conference conducted last April 21, 2021 as follows:

IB 2021-003A SUPPLY AND DELIVERY OF LEASED LINE, 100 MBPS



| FROM | TO |
|--|--|
| DELIVERY PERIOD: 10 DAYS | DELIVERY PERIOD: 30 (CALENDAR) DAYS |
| SCC (SPECIAL CONTRACT CONDITIONS) 2.2 | SCC (SPECIAL CONTRACT CONDITIONS) |
| 4 The inspections and tests that will be conducted are: | Refer to Section D. of Technical Specifications/ Terms of Reference: “Provide 24/7 monitoring facility available online that would show historical and real time |

| | | |
|---|--|---|
|  | <p>Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED</p> |  |
|---|--|---|

| | |
|--|--|
| | performance of the internet i.e. Multi Router Traffic Grapher (MRTG)." |
| <p>INCIDENTAL SERVICES As stated in Section V of the Bidding Documents, under Special Conditions of the Contract, the Incidental Services, the Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods; f. Acceptance testing where cost and other expenses shall be shouldered by the supplier. | |

IB 2021-003C SUPPLY AND DELIVERY OF 1 UNIT ANESTHESIA MACHINE

| FROM | TO |
|--|---|
| <p>VENTILATION MODES: - VENTILATION MODES: 3.1 with at LEAST 8 ventilation modes: VCV, PCV, PRVC, SPONT/PSV and Manual - PRVC</p> | <p>VENTILATION MODES: VENTILATION MODES: 3.1 with at LEAST 6 ventilation modes: Vcv, simv, pcv, ps, manual at spont mode</p> |
| <p>VAPORIZER - With 2 Selectatec mounting vaporizer (standard of One (1) unit Sevoflurane vaporizer-keyfill(1) unit isoflurane vaporizer-keyfill7.</p> | <p>VAPORIZER - BOTH FOR SEVOFLURANE AND ISOFLURANE</p> |
| <p>TIDAL VOLUME: - 10-1600ML</p> | <p>TIDAL VOLUME: - 10-1600ML</p> |
| <p>RR</p> | |
| <p>PARAMETERS:</p> <ul style="list-style-type: none"> • Built –in Capnography with SPO2 • 100 bpm | <p>PARAMETERS:</p> <ul style="list-style-type: none"> • Built –in Capnography with SPO2 • 60 to 100 bpm |
| <p>CARDIAC MONITOR</p> <ul style="list-style-type: none"> • Capnograph | <p>CARDIAC MONITOR</p> <ul style="list-style-type: none"> • Built –in Capnography with SPO2 • Mainstream |
| <p>WRITING TABLE/DRAWERS/MOUNTING - With a retractable writing table that can hold at least 10kgs.</p> | <p>WRITING TABLE/DRAWERS/MOUNTING - With a RETRACTABLE OR NON RETRACTABLE writing table that can hold at least 10kgs.</p> |



| | | |
|---|--|---|
|  | <p>Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED</p> |  |
|---|--|---|

IB 2021-003D SUPPLY AND DELIVERY OF VARIOUS MEDICAL GAS

| Technical Specifications |
|---|
| <ol style="list-style-type: none"> 1. Specification of Tank Cylinder: <ul style="list-style-type: none"> • HEIGHT: 1450mm to 1500mm, including pressure valve • DIAMETER: 210mm to 220mm • WEIGHT: 53kg to 56kg • VOLUME IN LITERS: 42L to 44L • PRESSURE CAPACITY: 1,700psi to 2,000psi • All tanks should be medical grade, properly labeled, well-maintained and preferably in same sizes 2. The Supplier must have License to Operate from FDA or DOH. 3. The items must be registered at FDA or DOH as supported by Certificate of Registration 4. Supplier must provide the tanks, including the installation of tank chain at the medical tanks storage room; 5. Initial stock requirement are as follows: <ul style="list-style-type: none"> • Nursing unit stock – 300 tanks • Materials Management Storage stocks – 100 tanks • Modular Facility – 100 tanks 6. Supplier must be able to deliver 60-100 tanks per day or as ordered 7. Supplier must provide at least two (2) to three (3) calibrated pressure gauges for tank pressure verification and provide certificate of calibration for each gauge 8. Supplier should provide/deliver 40-50 cylinder tanks, as need arises 9. Supplier should deliver within office hours from 9:00 am to 5:00 pm, Monday to Friday, unless Emergency Cases 10. Supplier should submit the following: <ul style="list-style-type: none"> • List of delivery vehicle to be used • Copies of valid Land Transportation Office Vehicle Registration (OR/CR) • Vehicle maximum load capacity • Images of the vehicle 11. Supplier must conduct bi-monthly inventory of cylinders together with BatMC Material Management Staff |





IB 2021-003E SUPPLY AND DELIVERY OF VARIOUS OFFICE SUPPLIES

| FROM | TO |
|---|---|
| 5. BAR CODE SCANNER: 4x3 – 20 rolls | 5. BAR CODE SCANNER: <ul style="list-style-type: none"> • 4x3 – 20 rolls • For Intermec PC43T • Chemical Resistant • Width – 3” |
| 16. ENVELOPE, BROWN A4 SIZE: <ul style="list-style-type: none"> • 1 BOX | 16. ENVELOPE, BROWN A4 SIZE: <ul style="list-style-type: none"> • ENVELOPE, BROWN A4 SIZE, BOX OF 500 • 1 BOX |
| 17. ENVELOPE, BROWN LEGAL: <ul style="list-style-type: none"> • 6 PCS | 17. ENVELOPE, BROWN LEGAL: <ul style="list-style-type: none"> • ENVELOPE, BROWN LEGAL SIZE, BOX OF 500 |

| | | |
|--|---|---|
|  | Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED |  |
| 18. ENVELOPE, MAILING, WHITE LONG: <ul style="list-style-type: none"> • 1 PC | <ul style="list-style-type: none"> • 6 BOXES 18. ENVELOPE, MAILING, WHITE LONG: <ul style="list-style-type: none"> • ENVELOPE, MAILING, WHITE, LONG • BOX OF 500 • 1 BOX | |
| 28. LOOSE LEAF | 28. LOOSE LEAF <ul style="list-style-type: none"> • 50s per bundle • 50 Bundles | |

IB 2021-003 SUPPLY AND DELIVERY OF VARIOUS HARDWARE MATERIALS FOR REPAIR AND MAINTENANCE OF HOSPITAL BUILDINGS

| | |
|---|---|
| <p>SLCC for contractors with Philippine Contractors Accreditation Board License (PCAB) under Small A and Small B Categories without similar experience of having completed a contract that is 50% of the ABC to be bid.</p> | <p>Section 23.4.2.4. of the IRR of RA 9184 provides:</p> <p>"The prospective bidder must have completed an SLCC that is similar to the contract to be bid, and whose value, adjusted to current prices using the PSA consumer price indices, must be at least fifty percent (50%) of the ABC to be bid: Provided, however, That contractors under Small A and Small B categories without similar experience on the contract to be bid may be allowed to bid if the cost of such contract is not more than the Allowable Range of Contract Cost (ARCC) of their registration based on the guidelines as prescribed by the PCAB."</p> <p>In GPPB Non-Policy Matter No. 143-2017 it states:</p> <p>"Bidders under Small A or Small B category who do not have a previous completed contract are allowed to participate if the cost of such contract is not more than the ARCC under their PCAB registration."</p> <p>In GPPB Non-Policy Matter No. 031-2017 it further states:</p> <p>"Accordingly, under Section 23.4.2.4. of the 2016 IRR of RA 9184, Small B contractors without similar experience on the contract presently being bid out may be allowed to bid up to PhP 15 Million, subject to such other guidelines the PCAB may prescribe."</p> |
|---|---|

| | | |
|---|--|---|
|  | <p style="text-align: center;">Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED</p> <p style="text-align: right;"> </p> |  |
|---|--|---|

(SGD.)ELIZABETH V. PALINES, MD, FPPS, FCNSP, FPNA
Chairperson, HBAC

Received by the bidder:

Signature over printed name

Date Received: _____