


HOSPITAL BIDS AND AWARDS COMMITTEE
SUPPLEMENTAL BID BULLETIN NO. 1
IB 2021-005 & IB2021-006
PRE-BID CONFERENCE (MAY 11, 2021)



I. GENERAL INSTRUCTIONS

- Bidders are required to submit one (1) soft copy of the original documents clearly scanned in multiple pages in one (1) PDF File per the three required files to the designated Google Form link.
- Documentary requirements on the electronic bidding is the same as in the manual bidding as provided in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act 9184 (RA 9184), otherwise known as the “Government Procurement Reform Act” and Resolution No. 09-2020 of the Government Procurement Policy Board entitled “Approving Measures for the Efficient Conduct of Procurement Activities During a State of Calamity, or Implementation of Community Quarantine or Similar Restrictions”
- The BAC is using the 6th Edition of the Philippine Bidding Documents and all Amendments Forms therein.
- Due to limited slots in Zoom, only one (1) representative per bidder will be allowed to enter.
- Bidder shall only provide the password of their encrypted file upon being called and acknowledged in the Online Bidding Conference by the BAC before the opening of said Bidder’s bid documents. Bidder’s video should be on during this process.
- For the issuance of the Official Receipt, bidders may get the same at the Cash Collection Section or Procurement Section, during office hours, M-F; 8:00AM-5:00PM, except holidays, and upon showing of proof of payment. For the purpose of the bidding, those who submitted the proof of payment early will be verified by our Cash Collection Section and will be provided a soft copy of the Official Receipt, otherwise, other proof of payment will be acceptable subject to later verification by the Cash Collection Section.
- The winning bidder is required to produce two (2) hard copies of the scanned document anytime before the award. The same can be personally sent or via courier. Any discrepancy on the submitted soft copy as bidder during the bidding conference and hard copies as winning bidder is a ground for disqualification.
- The scanned copy should have the required original signature. E-signature is not allowed.
- Bidders must submit updated Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).
- It is understood that the Contractor is legally responsible to deliver all issued purchase order/s and failure to deliver the first Purchase Order as scheduled shall mean automatic cancellation of the PO and Notice of Award (NOA). Upon cancellation, the BAC shall proceed to qualify the second lowest bidder if applicable; or proceed to Negotiated Procurement. The Winning Contractor who failed to deliver shall shoulder the price difference (from the second lowest bidder) of the item in addition to the acquired liquidated damages.
- In lieu of the Certificate of Ongoing Projects/Accomplishments, Bidders must present their progress report or percentage of partial accomplishment, together with their contracts, awards, and proof of deliveries such as sales invoice.



- Bidders must specify in the Technical Specifications Form under Bidder’s Offer, Technical Specifications Column the exact specifications they are offering and must indicate the reference page number in the user manual submitted against each of the individual parameters. Whereas, bidders must state either “Comply” or “Not Comply” under the Bidder’s Offer, Statement of Compliance Column. The bids with incomplete and incorrect filled out Technical Specifications Form will be disqualified.
- Bidder must have completed, within the period specified in the Invitation to Bid, an SLCC that is similar to the contract to be bid, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. Service will fall on the Expendable Supplies.
- If there is no single completed contract for the required amount, the bidder may submit at least two (2) completed similar contracts and the aggregate contract amounts should be equivalent to at least the percentage of the ABC as required above and the largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required.
- A contract shall only be considered “similar” to the contract to be bid if it is of similar nature.
- Contracts similar to the Project should be completed within two (2) years to the deadline for the submission and receipt of bids.
- For the **Audited Financial Statement**, the prospective bidder must submit the filed Annual Income Tax Returns due last May 15, 2021 and must attach the Annual Financial Statement (AFS) for the consideration of this Committee in the computation of the NFCC during bid opening. The said AFS should be the same with the hard copy to be submitted to this Committee should the prospective bidder be the lowest calculated bidder.

<p>Whether contractors with separate contracts, one (1) for design and another contract for construction, of one completed project are required to submit both contracts for their SLCC.</p>	<p>In GPPB Non-Policy Matter No. 081-2013, it states: xxxx the bidder participating in a bidding for an infrastructure project that will be implemented through a design and build scheme is required to submit, as technical requirement, either at least one (1) similar contract for design and build that is at least fifty percent (50%) of the cost of the Approved Budget for the Contract (ABC) for the project; or at least one (1) contract for design and at least one (1) contract for construction, each of which should be at least fifty percent (50%) of the cost of the ABC.</p> <p>Thus, in the event that the bidder does not have a similar largest completed contract for design and build, it should submit at least one (1) similar contract for design, which should be at least fifty percent (50%) of the ABC for the project, and at least one (1) similar contract for construction, which should also be at least fifty percent (50%) of the ABC for the project.</p>
--	---

	Republic of the Philippines Department of Health, Center for Health Development (CHD) IV-CALABARZON BATANGAS MEDICAL CENTER Batangas City ISO 9001:2015 CERTIFIED	
		<p>Given the NPM, should the interested bidder not have a single project consisting of both design and built with at least 50% of the ABC, it could submit two (2) completed projects consisting of contract for design with at least 50% of the ABC AND a contract for construction with at least 50% of the ABC.</p>

II. Amendments on the **BID DATA SHEET** as per Pre-Bidding Conference conducted last May 11, 2021 as follows:

A. **IB2021-005A Design and Built of Centralized Warehouse Phase 1 (Ground Floor and Mezzanine) / (180 calendar days)**


IBT Clause			
10.5	The minimum major equipment requirements are the following:		
	<u>Equipment</u>	<u>Capacity</u>	<u>Number of units</u>
	1. Cargo truck		2
	2. Boom Truck		1
	3. Backhoe with Bucket		1
	4. 1-Bagger Concrete Mixer		2
	5. Concrete Vibrator		1
	6. Plate Compactor		1
	7. Forms and Scaffoldings		
	8. Welding Machine		1
	9. Cut-Off Machine/Bar Cutter		1
	10. Grinder		3
	11. Electric Handrill		4

III. Amendment on **Technical Specifications** as per Pre-Bidding Conference conducted last May 11, 2021 as follows:

A. **IB2021-005A Design and Built of Centralized Warehouse Phase 1 (Ground Floor and Mezzanine) / (180 calendar days)**

ADDITIONAL Requirements:

- a. Must submit a Certificate of Site Inspection which shall be issued upon presentation of OR of bid docs and request.
- b. Certificate of Satisfactory Performance shall be included in bid submission duly signed by the head of agency.
- c. Project should be operational prior to turnover.
- d. Soil boring test good for four-storey structure design
- e. Reinforced concrete structure warehouse
- f. Schematic rendering of perspective and interior and floor plans shall be submitted on



the day of opening of bids.

- g. Must submit the Drawing Requirements. (Please see attached List of Drawing Requirements)
- h. Drawing Requirements must be:
 - Three (3) copies drawn at a paper size (A3) Ring Bound (Signed and Sealed)
 - One Autocad File Drawings saved in CD (3 sets)

B. IB2021-006A Supply and Delivery of Leased Line 50 Mbps Backup Internet

FROM	TO
I. Complete the supply, delivery, installation and commissioning of all items within thirty (30) calendar days from receipt of Notice to Proceed.	I. The installation of the new leased line should be at least 30 calendar days before the expiry of the existing line. The new leased line provider should guarantee that upon termination of the existing line, it should be able to provide the needed line to prevent interruption of services of the hospital.

C. IB2021-006B Supply and Delivery of Various Enteral Milk Formula


PROCURING ENTITY DESCRIPTION				
ITEM DESCRIPTION	QUANTITY	UNIT	UNIT COST	TOTAL COST
1. ENTERAL NUTRITION- MODULA - ORAL - vanilla flavor powdered drink - Can / Sachet - Shelf Life: 18 months expiry date (To submit Assurance Letter of replacement if below 18 months) Additional requirements: - Submit valid Certificate of Product Registration (CPR) issued by the Food and Drug Administration (FDA). - Submit Certificate of Current Good Manufacturing Practice (CGMP)	35,680	GRAMS	4.84	172,584.16
2. ENTERAL NUTRITION - DISEASE SPECIFIC FOR CANCER PATIENTS - ORAL /TUBE - Vanilla powdered drink - Can / Sachet - Shelf Life: 18 months expiry date (To submit Assurance Letter of replacement if below 18 months) Additional requirements: - Submit valid Certificate of Product Registration (CPR) issued by the Food and Drug Administration (FDA).	418,000	GRAMS	2.24	934,230.00



Republic of the Philippines
 Department of Health, Center for Health Development (CHD) IV-CALABARZON
BATANGAS MEDICAL CENTER
 Batangas City
ISO 9001:2015 CERTIFIED



<ul style="list-style-type: none"> - Submit Certificate of Current Good Manufacturing Practice (CGMP) 				
<p>3. ENTERAL NUTRITION - ADULT POLYMERIC</p> <ul style="list-style-type: none"> - ORAL /TUBE FEED- - Vanilla Flavor, powdered milk - Can / Sachet - Shelf Life: 18 months expiry date (To submit Assurance Letter of replacement if below 18 months) <p>Additional requirements:</p> <ul style="list-style-type: none"> - Submit valid Certificate of Product Registration (CPR) issued by the Food and Drug Administration (FDA). - Submit Certificate of Current Good Manufacturing Practice (CGMP) 	1,200,000	GRAMS	0.75	895,200.00
<p>4. ENTERAL NUTRITION - DISEASE SPECIFIC FOR DIABETES PATIENTS</p> <ul style="list-style-type: none"> - ORAL /TUBE FEED - Vanilla flavor, powdered milk - Can / Sachet - Shelf Life: 18 months expiry date (To submit Assurance Letter of replacement if below 18 months) <p>Additional requirements:</p> <ul style="list-style-type: none"> - Submit valid Certificate of Product Registration (CPR) issued by the Food and Drug Administration (FDA). 	1,000,000	GRAMS	0.94	937,000.00
<p>5. ENTERAL NUTRITION - SEMI ELEMENTAL</p> <ul style="list-style-type: none"> - ORAL - Whey peptide based powdered drink with glutamine, vanilla flavor - Can / Sachet - Shelf Life: 18 months expiry date (To submit Assurance Letter of replacement if below 18 months) <p>Additional requirements:</p> <ul style="list-style-type: none"> - Submit valid Certificate of Product Registration (CPR) issued by the Food and Drug Administration (FDA). - Submit Certificate of Current Good Manufacturing Practice (CGMP) 	91,200	GRAMS	3.92	357,595.20
TOTAL AMOUNT				3,296,609.36




D. IB2021-006C Supply and Delivery of Various Hemodialysis Supplies

PROCURING ENTITY DESCRIPTION				
ITEM DESCRIPTION	QUANTITY	UNIT	UNIT COST	TOTAL COST
1. DIALYZER a) High Flux 19 - Surface Area 1.9 m2 - Membrane: Polysulfone pro - Wall thickness 37/200 um - with angulated blood caps - Sterilization: Oxygen-free gamma b) High Flux 16 - Surface Area 1.6 m2 - Membrane: Polysulfone pro - Wall thickness 37/200 um - with angulated blood caps - Sterilization: Oxygen-free gamma c) Low Flux 16 - Surface Area 1.6 m2 - Membrane: Polysulfone pro - Wall thickness 37/200 um - with angulated blood caps - Sterilization: Oxygen-free gamma d) Low Flux 13 - Surface Area 1.3 m2 - Membrane: Polysulfone pro - Wall thickness 37/200 um - with angulated blood caps - Sterilization: Oxygen-free gamma	833	PIECE	1,365	1,137,045
5. DRESSING KIT - Sterile - Comes with: 2pcs Folded OS - 4pcs Cherries #5 - 8pcs Cotton Balls - 4Pcs OS 4x4x4 - Drape, Paper Wrap - Plastic Tray with division	11666	PIECE	105.00	1,224,930
6. BACTERIA FILTER - 20" Absolute Filter - size: 0.2micron	6	PIECE	368.00	2,208.00

ADDITIONAL General Specification Requirement:

- Delivery within ten (10) days upon receipt of P.O. Batch Order



E. IB2021-006E Supply and Delivery of Various Ink Supplies

ADDITIONAL Requirements:

- a. Must submit **Manufacturer's Certificate of Compliance / Genuineness (COC)**
- b. Must submit **Material Safety Data Sheet (MSDS)**

IV. Amendments on the Section VIII. Bill of Quantities

IB2021-005A Design and Built of Centralized Warehouse Phase 1 (Ground Floor and Mezzanine) / (180 calendar days)

Please see the attached Form for Bill of Quantities

(Sgd.) **ELIZABETH V. PALINES, MD, FPPS, FCNSP, FPNA**
Chairperson, HBAC

Received by the bidder:

Signature over printed name

Date Received: _____